INTERNATIONAL JOURNAL OF CHEMICAL KINETICS, VOL. III, 557–559 (1971)

Author Index, Volume III

Baekelmans, P. and Martens, G. J.: Report on the International Colloquium on Chemically Induced Dynamic Nuclear Polarization and its Impact on the Study of Reaction Mechanisms, Brussels, Belgium, March 18–19, 1971, 375

Baronnet, F., Dzierzynski, M., Côme, G. M., Martin, R., and Niclause, M.: The Pyrolysis of Neopentane at Small Extents of Reaction, 197

Batten, J. J. and Johnston, G. R.: A Preliminary Study of the Reaction Between Nitrous Oxide and Nitrogen Dioxide, 381

Bauer, S. H.: see Fifer, R.

Bell, T. N. and Platt, A. E.: The Reactions of CF_3 and CD_3 Radicals with Boron Trimethyl, 307

Benson, S. W.: see Furuyama, S.

——: see King, K. D.

——: see McMillen, D. F.

——: see Solly, R. K.

Bertrand, L., Exsteen-Meyers, L., Franklin, J. A., Huybrechts, G., and Olbregts, J.: Chlorine-Photosensitized Oxidations of Chloroethanes and Chloroethylenes in the Gas Phase, 89

Blades, A. T. and Sandhu, H. S.: The Arrhenius Factors for Some Six-Center Unimolecular Reactions, 187

Blauer, J. A.: see Solomon, W. C.

Bloomfield, J. J., Frey, H. M., and Metcalfe, J.: The Thermal Isomerization of Cyclobutenes. XVI. 1,2-Bis(trimethylsiloxy)cyclobutene, 85

Breen, J. E. and Glass, G. P.: The Reaction of the Hydroxyl Radical with Acetylene, 145

Brokenshire, J. L. and Ingold, K. U.: The Free-Radical Reaction of Tri-*n*-Butyltin Hydride with Peroxides, 343

Campbell, J. M., Penzes, S., Sandhu, H. S., and Strausz, O. P.: Quenching Cross Sections for the Deactivation of Metastable Mercury 6 ($^3P_0$), 175

Côme, G. H.: see Baronnet, F.

DeMore, W. B.: Rates and Mechanism of Alkyne Ozonation, 161

Dodge, M. C. and Heicklen, J.: The Photolysis of N_2O at 1470 Å, 269

Dzierzynski, M.: see Baronnet, F.

Exsteen-Meyers, L.: see Bertrand, L.

Falconer, W. E. and Sunder, W. A.: Disproportionation-Combination Ratios of Small Alkyl Radicals Formed by the Mercury-Photosensitized Hydrogenation of Olefins in the Gas Phase, 523

—— and ——: Orientation of Addition of Hydrogen Atoms to Propylene, Butene-1, and Isobutene, 395

Fifer, R., Moreau, R., and Bauer, S. H.: The Reactions Between SO_2 and C_2H_2 (and C_2H_4) at Elevated Temperatures. A Single-Pulse Shock Tube Investigation, 249

Flowers, M. C. and Parker, R. M.: Kinetics of the Thermal Gas Phase Reactions of 1,2-Epoxy-2-methylpropane, 443

Franklin, J. A.: see Bertrand, L.

Frey, H. M.: see Bloomfield, J. J.

Furuyama, S., Golden, D. M., and Benson, S. W.: The Kinetics and Thermochemistry of the Gas Phase Reaction of Cyclopentadiene and Iodine. Relevance to the Heat of Formation of Cyclopentadienyl Iodide and Cyclopentadienyl Radical, 237

Georgakakos, J. H., Rabinovitch, B. S., and Larson, C. W.: Disproportionation-Combination Ratios of Large Branched Alkyl Radicals, 535

Glass, G. P.: see Breen, J. E.

Golden, D. M.: see Furuyama, S.

——: see King, K. D.

——: see McMillen, D. F.

Goldman, C. S., Greenberg, R. I., and Heicklen, J.: The Reactions of $O(^1D)$ with Ozone and Nitrous Oxide, 501

Gray, P.: Second International Symposium on Gas Kinetics, 553
Greenberg, R. I.: see Goldman, C. S.

Heicklen, J.: see Dodge, M. C.
——: see Goldman, C. S.
——: see Krezenski, D. C.
——: see Simonaitis, R.
Hnat, J. G.: see Solomon, W. C.
Huybrechts, G.: see Bertrand, L.

Ingold, K. U.: see Brokenshire, J. L.
Iosif, I., Lazar, D. P., and Schneider, I. A.: Some Particular Aspects of the Low-Temperature Oxidation of Methane Initiated by Nitric Acid, 15

Jaye, F. C.: see Solomon, W. C.
Johnston, G. R.: see Batten, J. J.

Kelly, R. V.: see McNesby, J. R.
Kerr, J. A. and Timlin, D. M.: Hydrogen Abstraction from Organosilicon Compounds. The Reactions of Fluoromethyl Radicals with Tetramethylsilane. Polar Effects in Gas Phase Reactions, 69
—— and ——: Hydrogen Abstraction Reactions from Organosilicon Compounds. The Reactions of Fluoromethyl Radicals with Trichlorosilane. The Photolyses of Di- and Tetrafluoroacetone, 1
—— and ——: A Kinetic Study of the Thermal Elimination of Hydrogen Fluoride from 1,2-Difluoroethane. Determination of the Bond Dissociation Energies $D(CH_2F—CH_2F)$ and $D(CH_2F—H)$, 427
Kijewski, H. and Troe, J.: Study of the Pyrolysis of H_2O_2 in the Presence of H_2 and CO by Use of UV Absorption of HO_2, 223
King, K. D., Golden, D. M., Spokes, G. N., and Benson, S. W.: Very Low-Pressure Pyrolysis. IV. The Decomposition of *i*-Propyl Iodide and *n*-Propyl Iodide, 411
Konar, R. S.: The Disproportionation—Combination Ratio and its Correlation with the Entropy Change, 379
Krezenski, D. C., Simonaitis, R., and Heicklen, J.: The Reactions of $O(^3P)$ with Ozone and Carbonyl Sulfide, 467
Kuntz, R. R.: see Wampler, F. B.
——: see White, M. L.

Laidler, K. L.: The Disproportionation Combination—Ratio and its Correlation with the Entropy Change, 377
Larson, C. W.: see Georgakakos, J. H.
Lazar, D. P.: see Iosif, I.
Lee, J.: Multistage Reactions, Equilibrium, and Detailed Balancing: A Linear Algebra Approach, 491
Lepley, A. R.: see Walling, C.
Lloyd, A. C.: A Critical Review of the Kinetics of the Dissociation-Recombination Reactions of Fluorine and Chlorine, 39

Martens, G. J.: See Baekelmans, P.
Martin, R.: see Baronnet, F.
McMillen, D. F., Golden, D. M., and Benson, S. W.: Kinetics of the Gas-Phase Reaction of Cyclopropylcarbinyl Iodide and Hydrogen Iodide. Heat of Formation and Stabilization Energy of the Cyclopropylcarbinyl Radical, 359

NcNesby, J. R. and Kelly, R. V.: Abstraction of Hydrogen by Methylene, 293
Metcalfe, J.: see Bloomfield, J. J.
Moreau, R.: see Fifer, R.
Niclause, M.: see Baronnet, F.

Olbregts, J.: see Bertrand, L.

Parker, R. M.: see Flowers, M. C.
Penzes, S.: see Campbell, J. M.
Platt, A. E.: see Bell, T. N.
Pryor, W. A. and Smith, K.: Reactions of Radicals. XXVI. On the Use of Activation Parameters as a Test for Concerted Decomposition of Initiators, 387

Rabinovitch, B. S.: see Georgakakos, J. H.
——: see Waage, E. V.

Sanhu, H. S.: see Blades, A. T.
——: see Campbell, J. M.
Schneider, I. A,: see Iosif, I.
Simonaitis, R. and Heicklen, J.: The Mercury-Sensitized Oxidation of Carbon Monoxide, 319
——: see Krezenski, D. C.
Simons, J. W.: see Taylor, G. W.
Smith, K.: see Pryor, W. A.
Solly, R. K. and Benson, S. W.: Kinetics of the Gas Phase Reaction of Methyl Benzoate with Bromine and Iodine: The Methoxyl C—H Bond Strength of Methyl Esters, 509

Solomon, W. C., Blauer, J. A., Jaye, F. C., and Hnat, J. G.: The Vibrational Excitation of Hydrogen Fluoride Behind Incident Shock Waves, 215
Spokes, G. N.: see King, K. D.
Strausz, O. P.: see Campbell, J. M.
Sunder, W. A.: see Falconer, W. E.

Taylor, G. W. and Simons, J. W.: Chemically Activated 1,1-Dimethylcyclopropane from Photolysis of Isobutene-Neopentane-Diazomethane-Oxygen Mixtures, 25
—— and ——: Chemically Activated 3-Methyl-1-butene and 2-Methyl-1-butene from Photolysis of Diazomethane-Isobutene-Neopentant-Oxygen Mixtures, 453
Thynne, J. C. J.: The Addition of Methyl Radicals to Hexafluoropropylene, 155
Timlin, D. M.: see Kerr, J. A.
Troe, J.: see Kijewski, H.

Waage, E. V. and Rabinovitch, B. S.: Some Aspects of Theory and Experiment in the Ethane–Methyl Radical System, 105
Walling, C. and Lepley, A. R.: Computer Simulation of Cage Processes and Some Difficulties with Present Models, 97
Wampler, F. B. and Kuntz, R. R.: Some Hydrogen Abstraction Reactions of the CF_3CCl_2 Radical, 483
—— and ——: Some Hydrogen Abstraction Reactions of the Trichloromethyl Radical, 283
—— and ——: Rotating Sector Study of the Gas Phase Photolysis of the 1,1,1-Trichloro-2,2,2-Trifluoroethane–Cyclohexane System, 137
White, M. L. and Kuntz, R. R.: Rotating Sector Study of the Gas Phase Photolysis of the Carbon Tetrachloride–Cyclohexane System, 127

INTERNATIONAL JOURNAL OF CHEMICAL KINETICS, VOL. III, 561–562 (1971)

Subject Index, Volume III

ACTIVATION PARAMETERS as a test for concerted decomposition of initiators (387)
ADDITION, orientation of hydrogen atom, to olefins (395)
BIRADICAL, intermediate in the pyrolysis of 1,2-epoxy-2-methyl propane (443)
BOND DISSOCIATION ENERGY, C—C bond in 1,2-difluoroethane (427); C—H bond in cyclopentadiene (237); C—H bond in methyl fluoride (427); methoxyl C—H in methyl benzoate (509); methyl C—H in methyl cyclopropane (359); of tri-n-butyltin with several groups (343)
CAGE PROCESSES, computer simulation of (197)
CHEMICAL ACTIVATION, in the decomposition of 3-methylbutene-1 and 2-methylbutene-1 (453)
CHEMICALLY ACTIVATED, 1,1-dimethylcyclopropane, structural isomerization of (25)
COMBINATION and dissociation reaction, of chlorine and fluorine (39); of the ethane methyl radical system (105)
COMBINATION reaction of 1,1-dichloro-2,2,2-trifluoroethyl radicals (137); of trichloromethyl radicals (127)
CONCERTED DECOMPOSITION, test for (387)
DECOMPOSITION of the $PhCOO\dot{C}H_2$ radical (509)
DETAILED BALANCING, methods of linear algebra, applied to problems concerning (491)
DISPROPORTIONATION-COMBINATION RATIO, of large branched alkyl radicals (535); relationship to entropy change (377), (379); of small alkyl radicals (523)
DISSOCIATION AND COMBINATION REACTIONS, of chlorine and fluorine (39); of the ethane-methyl radical system (105)
EQUILIBRIUM CONSTANTS, relationship to detailed balancing (491)
HEAT OF FORMATION OF, cyclopentadienyl iodide, cyclopentadienyl radical (237); cyclopropyl carbinyl radical (359); methyl benzoate (509); the $PhCOO\dot{C}H_2$ radical (509)
INITIATORS, merits of test for concerted decomposition of (387)
ISOMERIZATION, structural, of chemically activated 1,1-dimethyl cyclopropane (25); thermal, of 1,2-bis(trimethylsiloxy)-cyclobutene (85)
LINEAR ALGEBRA, applied to problems of detailed balancing (491)
MECHANISM, neopentane pyrolysis (197); ozonation of alkynes (161); reaction of acetylene and sulfur dioxide (249); reaction of hydroxyl radical with acetylene (145)
OLEFIN REACTIVITY, comparison of the, toward methyl radicals and oxygen of some olefins and fluoro-olefins (155)
ORIENTATION, hydrogen atom addition to olefin (395)
OXIDATION, chlorine-photosensitized of chloroethanes and chloroethylenes (89); low-temperature, of methane initiated by nitric oxide (15); mercury-sensitized and carbon monoxide (319)
OZONATION, of alkynes, rates and mechanism of (161)
PHOTOLYSIS, of carbon tetrachloride in the presence of alkanes (283); of carbon tetrachloride, rotating sector study of (127); of diazomethane as a source of methylene (25); of dideuteroketone in the presence of neopentane (293); of difluoro- and tetrafluoroacetone as sources of fluoromethyl radicals (1)(69); of hexadeutero- and hexafluoroacetone as sources of perdeutero- and perfluoromethyl radicals (307); of mercury-

sensitized of nitrous oxide as a source of O(^{3}P) (467); of nitrous oxide at 1470 Å (269); of ozone as a source of O(^{1}D) (501); of 1,1,1-trichloro-2,2,2-trifluoroethane, rotating sector study of (137); of 1,1,1-trifluoro-2,2,2-trichloroethane in the presence of alkanes (483)

POLAR EFFECT on the activation energy for abstraction reactions of fluoromethyl radicals (1), (69), (307)

PYROLYSIS OF 1,2-difluoroethane (427); ethyl formate (187); 1,2-epoxy-2-methylpropane (443); 1-heptane (187); hydrogen peroxide (223); isopropyl iodide (411); methoxylacetone (187); methyl butyl (187); 4-methyl-hexene (187); n-propyl iodide (411); neopentane (197); 2,4-pentadione (187); 2-pentanone (187).

QUANTUM YIELD of carbon dioxide in the mercury-sensitized oxidation of carbon monoxide (319); of primary processes in the 1470 Å photolysis of nitrous oxide (269)

QUENCHING, cross sections of Hg 6(^{3}Po) (175).

RELAXATION TIME for vibrationally excited hydrogen fluoride (215)

REPORT on, International Colloquium on Chemically-Induced Dynamic Nuclear Polarization (375); 2nd International Symposium on Gas Kinetics (553)

REVIEW of dissociation-combination reactions of chlorine and fluorine (39)

RRK THEORY, applied to thermal decompostion of i-PrI, applied to mutual interaction of two processes in n-PrI (411)

RRKM THEORY, applied to structural isomerization of chemically activated 1,1-dimethylcyclopropane (25); decompostion of chemically activated alkenes (453); the dissociation of ethane and the combination of methyl radicals (105); thermal decomposition of i-PrI (411)

ROTATING SECTOR, study of photolysis of the carbon tetrachloride-cyclohexane system (127); study of the photolysis of the 1,1,1-trichloro-2,2,2-trifluoro-ethane-cyclohexane system (137)

STABILIZATION ENERGY of cyclopropylcarbinyl radical (359); of cyclopentadienyl radical (237)

UNIMOLECULAR REACTIONS, six-center transition state in, predicted A-factors for (187)

VERY LOW-PRESSURE PYROLYSIS of isopropyl iodide, of n-propyliodide (411)

VIBRATIONAL EXCITATION of hydrogen fluoride (215)

INTERNATIONAL JOURNAL OF CHEMICAL KINETICS, VOL. III, 563–565 (1971)

Index of Compounds, Volume III

ACETYLENE, mechanism of reaction with sulfur dioxide (249); reaction with hydroxyl radical (145); reaction with ozone (161)
ALKYL RADICAL, disproportionation-combination ratios (523), (535)
1,2-BIS(TRIMETHYLSILOXY)CYCLOBUTANE, thermal isomerization of (85)
BORON TRIMETHYL, abstraction of H-atoms from (307)
BROMINE, reaction with hydrogen treated by methods of linear algebra (491); reaction with methyl benzoate (509)
BUTENE-1, orientation of H-atom addition to (395)
CARBON DIOXIDE, in the photosensitized oxidation of carbon monoxide (319)
CARBON MONOXIDE, photosensitized oxidation of (319)
CARBON TETRACHLORIDE, rotating sector study of, the photolysis of (127)
CARBONYL SULFIDE, reaction with oxygen atoms (467)
CHLORINE, a critical review of dissociation recombination reactions of (39); oxidations of chloroethanes and chloroethylenes, photosensitized by (89)
CYCLOHEXANE, abstraction of H-atoms from, by 1,1,-dichloro-2,2,2-trifluoroethyl radicals (137); abstraction of H-atoms from, by trichloromethyl radicals (127)
CYCLOPENTADIENE, reaction with iodine (237)
CYCLOPENTADIENYL IODIDE, heat of formation of (237)
CYCLOPENTADIENYL RADICAL, heat of formation of (237)
CYCLOPROPYLCARBINYL IODIDE, reaction with HI (359)
CYCLOPROPYLCARBINYL RADICAL, heat of formation of (359)
DEUTERIUM ATOM, abstraction by methylene (293)
DEUTEROMETHYL RADICAL, reaction with boron trimethyl (307)
DIAZOMETHANE, as a source of methylene used in the production of chemically activated 1,1-dimethylcyclopropane (25)
1,2-DICHLOROETHANE,chlorine photosensitized, oxidation of (89)
1,1-DICHLORO-2,2,2,-TRIFLUOROETHYL RADICALS, combination of, abstraction of H-atoms from cyclohexane by (137)
DIFLUOROACETONE, mechanism of photolysis (1)
1,2-DIFLUOROETHANE, hydrogen fluoride elimination from (427)
DIMETHYLACETYLENE, reaction with ozone (161)
1-DIMETHYLCYCLOPROPANE, structural isomerization of (25)
ETHANE, dissociatlon of, comparison of theory and expriment (105); quenching of $Hg(^3P_0)$ by (175)
ETHYLACETYLENE, reaction with oxone (161)
ETHYLENE, chlorine photosensitized, oxidation of (89)
ETHYL FORMATE, pyrolysis of (187)
1,2-EPOXY-2-METHYL PROPANE, pyrolysis of (443)
FLUORINE, a critical review of dissociation-recombination reactions of (39)
FLUORINE ATOMS, effect on the vibrational relaxation of hydrogen fluoride (215)
FLUOROMETHYL RADICAL, reaction with boron trimethyl (307); reaction with tetramethylsilane (69); reaction with trichlorosilane (1)
1-HEPTENE, pyrolysis of (187)
HEXAFLUOROPROPYLENE, addition of methyl radicals to (155)
HYDROGEN, reaction with bromine treated by methods of linear algebra (491)

HYDROGEN ATOM, abstraction by dichlorotrifluoroethyl radicals (137); abstraction by methylene (293); abstraction by trichloromethyl from cyclohexane (127); abstraction from alkanes by trichloromethyl radicals (283); abstraction from alkanes by trifluorodichloroethyl radical (483); abstraction from borontrimethyl (307); abstraction from organosilicon compounds (1), (69); addition to olefins as a source of alkyl radicals (523), (535); orientation of, addition to olefins (395); reaction with hydrogen peroxide, reaction with perhydroxyl radical (223)
HYDROGEN FLUORIDE, elimination from 1,2-difluoroethane (427); vibrational relaxation time of (215)
HYDROGEN IODIDE, reaction with cyclopropylcarbinyl iodide (359)
HYDROGEN PEROXIDE, pyrolysis of, the reaction of, with hydrogen atoms (223)
HYDROPEROXYL RADICAL, reaction with hydrogen atoms, UV spectrum of (223)
HYDROXYL RADICAL, reaction with acetylene (145)
IODINE, reaction with cyclopentadiene (237); reaction with methyl benzoate (509)
ISOBUTANE, chemically activated 1,1-methylcyclopropane from addition of methylene to (25)
ISOBUTENE, orientation of H-atoms, addition to (395)
ISOBUTYRALDEHYDE, from the pyrolysis of 1,2-epoxy-2-methyl propane (443)
ISOPROPENYLMETHYLETHER, from the pyrolysis of 1,2-epxoy-2-methylpropane (443)
ISOPROPYL IODIDE, very low-pressure pyrolysis of (411)
KETENE, abstraction of D-atoms from perdeutero- (293)
MERCURY ATOMS, quenching of ($^3P_0$) state of, by various gases (175)
MERCURY, photosensitized oxidation of carbon monoxide (319)
METHANE, low-temperature oxidation of (15)
METHOXYACETONE, pyrolysis of (187)
METHYLACETYLENE, reaction with ozone (161)
METHYLBENZOATE, reaction with bromine, reaction with iodine, methoxyl bond strength in (509)
2-METHYLBUTENE-1, decompostion of chemically activated (453)
3-METHYLBUTENE-1, decompostion of chemically activated (453)
METHYL BUTYRATE, pyrolysis of (187)
4-METHYL-1-HEXENE, pyrolysis of (187)
2-METHYLPROP-2-EN-1-OL, from the pyrolysis of 1,2-epoxy-2-methyl propane (443)
METHYL RADICAL, addition to hexafluoropropylene (155); combination of, comparison of theory and experiment (105)
NEOPENTANE, pyrolysis of (197)
NITRIC ACID, low temperature oxidation of methane initiated by (15)
NITROGEN ATOMS, produced from nitrous oxide photolysis (269)
NITROGEN DIOXIDE, reaction with nitrous oxide (381)
NITROUS OXIDE, quenching of Hg($^3P_0$) by (175); photolysis of (269); reaction with nitrogen dioxide (381); reaction with oxygen atom (^1D) (501)
OXYGEN ATOM, produced from nitrous oxide photolysis (269); reaction of (^1D) with ozone and nitrous oxide (501); reaction with ozone and carbonyl sulfide (467)
OZONE, reactions with acetylene, methylacetylene, dimethylacetylene, and ethylacetylene (161); reaction with oxygen atom (^1D) (501); reaction with oxygen atoms (467)
2,4-PENTADIONE, pyrolysis of (187)
2-PENTANONE, pyrolysis of (187)
PERESTERS, test for concerted decomposition of several (387)
PEROXIDES, reaction with tri-n-butyltin radicals (343); test for concerted decomposition of several (387)

PROPANE, quenching of Hg ($^3P_0$) by (175)
n-PROPYL IODIDE, very low-pressure pyrolysis of (411)
PROPYLENE, orientation of H-atoms, addition to (395)
SULFUR DIOXIDE, mechanism of reaction with acetylene (249)
TETRAFLUOROACETONE, mechanism of photolysis of (1), (69)
TETRAMETHYLSILANE, abstraction of H-atoms from (69)
1,1,1-TRICHLOROETHANE, chlorine photosensitized oxidation of (89)
TRIFLUORODICHLOROETHYL RADICAL, abstraction of hydrogen atoms from alkanes by (483)
1,1,1-TRICHLORO-2,2,2-TRIFLUOROETHANE, rotating sector study of the photolysis of (137)
TRI-n-BUTYLTIN RADICAL, induced decomposition of peroxides (343)
TRICHLOROMETHYL RADICALS, combination of, abstraction of H-atoms from cyclohexane by (127); abstraction of hydrogen atoms from alkanes by (283)
TRICHLOROSILANE, abstraction of H-atoms from (1)

International Journal of

Chemical Kinetics

Volume III, 1971

EDITOR-IN-CHIEF:

SIDNEY W. BENSON

ASSOCIATE EDITOR:

DAVID M. GOLDEN

EDITORAL BOARD:

R. B. Bernstein	J. E. Dubois	H. S. Johnston	B. S. Rabinovitch
J. Calvert	N. M. Emanuel	K. J. Laidler	H. Schiff
F. S. Dainton	H. Eyring	M. Magat	H. Taube
L. M. Dorfman	H. M. Frey	R. G. Pearson	H. G. Wagner
			C. Walling

INTERSCIENCE PUBLISHERS *a division of* John Wiley & Sons, Inc.

Copyright © 1971 by John Wiley and Sons, Inc.

All rights reserved. No part of this publication may be reproduced by any means, nor transmitted, nor translated into a machine language without the written permission of the publisher.

Printed in the United States of America

CONTENTS

Volume III, Issue Nos. 1–6

International Journal of

CHEMICAL KINETICS

Issue No. 1, January

J. A. Kerr and D. M. Timlin: Hydrogen Abstraction Reactions from Organosilicon Compounds. The Reactions of Fluoromethyl Radicals with Trichlorosilane. The Photolyses of Di- and Tetrafluoroacetone 1

I. Iosif, D. P. Lazar, and I. A. Schneider: Some Particular Aspects of the Low-Temperature Oxidation of Methane Initiated by Nitric Acid 15

G. W. Taylor and J. W. Simons: Chemically Activated 1,1-Dimethylcyclopropane from Photolysis of Isobutene–Neopentane–Diazomethane–Oxygen Mixtures 25

A. C. Lloyd: A Critical Review of the Kinetics of the Dissociation-Recombination Reactions of Fluorine and Chlorine 39

J. A. Kerr and D. M. Timlin: Hydrogen Abstraction from Organosilicon Compounds. The Reactions of Fluoromethyl Radicals with Tetramethylsilane. Polar Effects in Gas Phase Reactions 69

J. J. Bloomfield, H. M. Frey, and J. Metcalfe: The Thermal Isomerization of Cyclobutenes. XVI. 1,2-Bis(trimethylsiloxy)cyclobutene 85

L. Bertrand, L. Exsteen-Meyers, J. A. Franklin, G. Huybrechts, and J. Olbregts: Chlorine-Photosensitized Oxidations of Chloroethanes and Chloroethylenes in the Gas Phase 89

Issue No. 2, March

C. Walling and A. R. Lepley: Computer Simulation of Cage Processes and Some Difficulties with Present Models 97

E. V. Waage and B. S. Rabinovitch: Some Aspects of Theory and Experiment in the Ethane–Methyl Radical System 105

M. L. White and R. R. Kuntz: Rotating Sector Study of the Gas Phase Photolysis of the Carbon Tetrachloride–Cyclohexane System 127

F. B. Wampler and R. R. Kuntz: Rotating Sector Study of the Gas Phase Photolysis of the 1,1,1-Trichloro-2,2,2-Trifluoroethane–Cyclohexane System 137

J. E. Breen and G. P. Glass: The Reaction of the Hydroxyl Radical with Acetylene 145

J. C. J. Thynne: The Addition of Methyl Radicals to Hexafluoropropylene 155

W. B. DeMore: Rates and Mechanism of Alkyne Ozonation 161

J. M. Campbell, S. Penzes, H. S. Sandhu, and O. P. Strausz: Quenching Cross Sections for the Deactivation of Metastable Mercury 6 ($^3P_0$) 175

A. T. Blades and H. S. Sandhu: The Arrhenius Factors for Some Six-Center Unimolecular Reactions 187

Information for Contributors 195

Issue No. 3, May

F. Baronnet, M. Dzierzynski, G. M. Come, R. Martin, and M. Niclause: The Pyrolysis of Neopentane at Small Extents of Reaction 197

W. C. Solomon, J. A. Blauer, F. C. Jaye, and J. G. Hnat: The Vibrational Excitation of Hydrogen Fluoride Behind Incident Shock Waves 215

H. Kijewski and J. Troe: Study of the Pyrolysis of H_2O_2 in the Presence of H_2 and CO by Use of UV Absorption of HO_2 223

S. Furuyama, D. M. Golden, and S. W. Benson: The Kinetics and Thermochemistry of the Gas Phase Reaction of Cyclopentadiene and Iodine. Relevance to the Heat of Formation of Cyclopentadienyl Iodine and Cyclopentadienyl Radical 237

R. Fifer, R. Moreau, and S. H. Bauer: The Reactions Between SO_2 and C_2H_2 (and C_2H_4) at Elevated Temperatures. A Single-Pulse Shock Tube Investigation 249

M. C. Dodge and J. Heicklen: The Photolysis of N_2O at 1470 Å 269

F. B. Wampler and R. R. Kuntz: Some Hydrogen Abstraction Reactions of the Trichloromethyl Radical 283

Information for Contributors 291

Issue No. 4, July

J. R. McNesby and R. V. Kelly: Abstraction of Hydrogen by Methylene 293

T. N. Bell and A. E. Platt: The Reactions of CF_3 and CD_3 Radicals with Boron Trimethyl 307

R. Simonaitis and J. Heicklen: The Mercury-Sensitized Oxidation of Carbon Monoxide 319

J. L. Brokenshire and K. U. Ingold: The Free-Radical Reaction of Tri-*n*-Butyltin Hydride with Peroxides 343

D. F. McMillen, D. M. Golden, and S. W. Benson: Kinetics of the Gas-Phase Reaction of Cyclopropylcarbinyl Iodide and Hydrogen Iodide. Heat of Formation and Stabilization Energy of the Cyclopropylcarbinyl Radical 359

P. Baekelmans and G. J. Martens: Report on the International Colloquium on Chemically Induced Dynamic Nuclear Polarization and its Impact on the Study of Reaction Mechanisms, Brussels, Belgium, March 18–19, 1971 375

COMMUNICATIONS TO THE EDITOR

K. J. Laidler: The Disproportionation Combination—Ratio and its Correlation with the Entropy Change 377

R. S. Konar: The Disproportionation—Combination Ratio and its Correlation with the Entropy Change 379

J. J. Batten and G. R. Johnston: A Preliminary Study of the Reaction Between Nitrous Oxide and Nitrogen Dioxide 381

Information for Contributors 385

Issue No. 5, September

W. A. Pryor and K. Smith: Reactions of Radicals. XXVI. On the Use of Activation Parameters as a Test for Concerted Decomposition of Initiators 387

W. E. Falconer and W. A. Sunder: Orientation of Addition of Hydrogen Atoms to Propylene, Butene-1, and Isobutene 395

K. D. King, D. M. Golden, G. N. Spokes, and S. W. Benson: Very Low-Pressure Pyrolysis. IV. The Decomposition of *i*-Propyl Iodide and *n*-Propyl Iodide 411

J. A. Kerr and D. M. Timlin: A Kinetic Study of the Thermal Elimination of Hydrogen Fluoride from 1,2-Difluoroethane. Determination of the Bond Dissociation Energies $D(CH_2F—CH_2F)$ and $D(CH_2F—H)$ 427

M. C. Flowers and R. M. Parker: Kinetics of the Thermal Gas Phase Reactions of 1,2-Epoxy-2-methylpropane 443

G. W. Taylor and J. W. Simons: Chemically Activated 3-Methyl-1-butene and 2-Methyl-1-butene from Photolysis of Diazomethane-Isobutene-Neopentane-Oxygen Mixtures 453

D. C. Krezenski, R. Simonaitis, and J. Heicklen: The Reactions of $O(^3P)$ with Ozone and Carbonyl Sulfide 467

Issue No. 6, November

F. B. Wampler and R. R. Kuntz: Some Hydrogen Abstraction Reactions of the CF_3CCl_2 Radical 483

J. Lee: Multistage Reactions, Equilibrium, and Detailed Balancing: A Linear Algebra Approach 491

C. S. Goldman, R. I. Greenberg, and J. Heicklen: The Reactions of $O(^1D)$ with Ozone and Nitrous Oxide 501

R. K. Solly and S. W. Benson: Kinetics of the Gas Phase Reaction of Methyl Benzoate with Bromine and Iodine: The Methoxyl C–H Bond Strength of Methyl Esters 509

W. E. Falconer and W. A. Sunder: Disproportionation-Combination Ratios of Small Alkyl Radicals Formed by the Mercury-Photosensitized Hydrogenation of Olefins in the Gas Phase 523

J. H. Georgakakos, B. S. Rabinovitch, and C. W. Larson: Disproportionation-Combination Ratios of Large Branched Alkyl Radicals 535

Report

P. Gray: Second International Symposium on Gas Kinetics 553

Information for Contributors 555

Author Index 557

Subject Index 561

Index of Compounds 563

Volume Contents Page i

Volume Contents iii